

ACTA METALLURGICA

CONTENTS OF VOLUME 35

NUMBER 1

<i>Acta Metallurgica Prize (1984)</i>	i	
S. C. Lim and M. F. Ashby	1	Overview No. 55: Wear-mechanism maps
S. Suresh, A. K. Vasudevan, M. Tosten and P. R. Howell	25	Microscopic and macroscopic aspects of fracture in lithium-containing aluminum alloys
G. Scarsbrook and W. M. Stobbs	47	The martensitic transformation behaviour and stabilisation of rapidly quenched Cu-Zn-Al ribbons
Won-hyuk Rhee, Young-duh Song and Duk N. Yoon	57	A critical test for the coherency strain effect on liquid film and grain boundary migration in Mo-Ni-(Co-Sn) alloy
A. F. Marshall, Y. S. Lee and D. A. Stevenson	61	Crystallization behavior of amorphous Cu ₄₈ Ti ₅₂ : formation of an intermediate long-period superlattice phase
K. E. Sickafus and S. L. Sass	69	Grain boundary structural transformations induced by solute segregation
K. V. Rama Rao and J. A. Sekhar	81	Surface solidification with a moving heat source: a study of solidification parameters
J. D. Hunt and D. G. McCartney	89	Numerical finite difference model for steady state cellular array growth
M. Déchamps, F. Baribier and A. Marrouche	101	Grain-boundaries: criteria of specialness and deviation from CSL misorientation
D. Ríos-Jara and G. Guénin	109	On the characterization and origin of the dislocations associated with the two way memory effect in Cu-Zn-Al thermoelastic alloys—I. Quantitative analysis of the dislocations
D. Ríos-Jara and G. Guénin	121	On the characterization and origin of the dislocations associated with the two way memory effect in Cu-Zn-Al thermoelastic alloys—II. The model for the formation of dislocations
E. Pink and W. M. Webernig	127	Precipitation during serrated flow in AlZn5Mg1
J. A. Horton and M. K. Miller	133	Atom probe analysis of grain boundaries in rapidly-solidified Ni ₃ Al
P. Gall, J. P. Peyrade, R. Coquillé, F. Reynaud, S. Gabillet and A. Albacete	143	Thermal activation of glide in InP single crystals

C. L. Briant	149	Grain boundary segregation of antimony and nickel in iron
M. Taya and T. Mori	155	Dislocations punched-out around a short fiber in a short fiber metal matrix composite subjected to uniform temperature change
L. C. Lim	163	On the elastic properties of grain boundary dislocations
D. H. St John and L. M. Hogan	171	A simple prediction of the rate of the peritectic transformation
S. N. Tewari and V. Laxmanan	175	A critical examination of the dendrite growth models: comparison of theory with experimental data
A. S. Argon	185	Brittle to ductile transition in cleavage fracture
R. B. McLellan and M. Yoshihara	197	The thermodynamics of dilute solutions of hydrogen in palladium and its substitutional alloys
M. Dollar and A. W. Thompson	227	The effect of grain size and strain on the tensile flow stress of quenched aluminum
W. C. Carter and A. M. Glaeser	237	The morphological stability of continuous intergranular phases: thermodynamic considerations
J. Wood and P. G. McCormick	247	Plastic flow instability in a precipitation hardened Al-Zn-Mg alloy
R. McKibben, R. M. Sharp, D. A. Harrington, B. G. Pound and G. A. Wright	253	A potentiostatic double-step method for measuring hydrogen atom diffusion and trapping in metal electrodes—I. Theory
B. G. Pound, G. A. Wright and R. M. Sharp	263	A potentiostatic double-step method for measuring hydrogen atom diffusion and trapping in metal electrodes—II. Experimental

NUMBER 2

R. Kirchheim	271	Overview No. 56: Monte-Carlo simulations of interstitial diffusion and trapping—I. One type of traps and dislocations
R. Kirchheim and U. Stolz	281	Overview No. 56: Monte-Carlo simulations of interstitial diffusion and trapping—II. Amorphous metals
M.-A. Okamoto	293	Pressure effect on elastic after-effect due to oxygen in niobium—II. Clustering
S. P. Timothy	301	The structure of adiabatic shear bands in metals: a critical review
A. Brokman	307	Statistical and structural effects during solute-atom segregation to grain boundaries

Toru Miyazaki, Kazutaka Isobe, Takao Kozakai and Minoru Doi	317	The phase separations of Fe-Al-Co ordering alloys
P. W. Voorhees and R. J. Schaefer	327	<i>In situ</i> observation of particle motion and diffusion interactions during coarsening
S. Suzuki, G. C. Weatherly and D. C. Houghton	341	The response of carbo-nitride particles in HSLA steels to weld thermal cycles
D. Farkas and V. Rangarajan	353	Geometrical models for symmetrical tilt boundaries in $L1_2$ ordered compounds
V. M. Sample, G. L. Fitzsimons and A. J. DeArdo	367	Dynamic softening of copper during deformation at high temperatures and strain rates
Takayuki Takasugi, Naoya Masahashi and Osamu Izumi	381	Electronic and structural studies of grain boundary strength and fracture in $L1_2$ ordered alloys—III. On the effect of stoichiometry
V. Gerold and J. Kern	393	The determination of atomic interaction energies in solid solutions from short range order coefficients—an inverse Monte-Carlo method
I. Baele, G. Van Tendeloo and S. Amelinckx	401	Microtwinning in Ni-Mn resulting from the $\beta \rightarrow \theta$ martensitic transformation
H. Matsui, N. Yoshikawa and M. Koiwa	413	An <i>in situ</i> observation of hydrogen induced crack in niobium
J. Hirsch, E. Nes and K. Lücke	427	Rolling and recrystallization textures in directionally solidified aluminium
Ph. Lequeu, P. Gilormini, F. Montheillet, B. Bacroix and J. J. Jonas	439	Yield surfaces for textured polycrystals—I. Crystallographic approach
S. Ortner, C. Laird and G. C. Farrington	453	The mechanical response of copper single crystals to corrosion—fatigue in an aqueous oxide-forming environment
J. C. Earthman and W. D. Nix	463	Characterizations of high temperature crack growth in copper and Cu + 1 wt% Sb under different loading conditions
S. C. Jha, T. H. Sanders Jr and M. A. Dayananda	473	Grain boundary precipitate free zones in Al-Li alloys
K. Mahalingam, B. P. Gu, G. L. Liedl and T. H. Sanders Jr	483	Coarsening of δ' (Al_3Li) precipitates in binary Al-Li alloys

- J. A. Juarez-Islas and H. Jones 499 Conditions for growth of extended Al-rich Al-Mn alloy solid solutions and Al-Al₆Mn eutectic during rapid solidification
- R. Fortunier and J. H. Driver 509 A continuous constraints model for large strain grain deformations
- H. J. Frost 519 Grain boundary ordering configurations in the L1₂ or Ni₃Al structure
- H. J. Frost and C. V. Thompson 529 The effect of nucleation conditions on the topology and geometry of two-dimensional grain structures
- W. Y. Yeung and B. J. Duggan 541 Shear band angles in rolled f.c.c. materials

NUMBER 3

- E. Sarath Kumar Menon and H. I. Aaronson 549 Overview No. 57: Morphology, crystallography and kinetics of sympathetic nucleation
- V. Seetharaman, K. Bhanu Sankara Rao, D. Sundararaman and P. Rodriguez 565 Precipitation and tensile deformation behaviour of a Nimonic 105 superalloy
- J. K. McCoy and R. R. Wills 577 Densification by interface-reaction controlled grain-boundary diffusion
- H. E. Exner 587 Neck shape and limiting GBD/SD ratios in solid state sintering
- J. J. Lewandowski, C. A. Hipsley, M. B. D. Ellis and J. F. Knott 593 Effects of impurity segregation on sustained load cracking of 2 $\frac{1}{4}$ Cr-1Mo steels—I. Crack initiation
- L. R. F. Rose 609 Analysis of inelastic bending due to stress-induced martensitic transformation
- M. Arminjon 615 Théorie d'une classe de modèles de Taylor "hétérogenes". Application aux textures de déformation des aciers
- F. Hernández Olivares and J. Gil Sevillano 631 A quantitative assessment of forest-hardening in f.c.c. metals
- C. T. Liu and C. L. White 643 Dynamic embrittlement of boron-doped Ni₃Al alloys at 600°C
- R. J. Arsenault and M. Taya 651 Thermal residual stress in metal matrix composite
- A. H. Heuer, R. Chaim and V. Lanteri 661 The displacive cubic \rightarrow tetragonal transformation in ZrO₂ alloys
- T. Ikegami 667 Microstructural development during intermediate- and final-stage sintering

- | | | |
|--|-----|---|
| L. M. Hogan and H. Song | 677 | Aluminium grain structures in Al-Si eutectic alloys |
| J. R. Dryden, A. S. Deakin
and G. S. Purdy | 681 | Elastic analysis of deformation near a spherical carbon
particle embedded in iron |
| A. Faress
and G. Vanderschaeve | 691 | Dislocation motion in alloys with a periodic antiphase
boundaries structure |
| S. Lebaili
et S. Hamar-Thibault | 701 | Equilibres liquide-solide dans le système Ni-B-Si dans la
region riche en nickel |
| R. Bonnet, A. Ben Lamine
et F. Reynaud | 711 | Analyse d'une classe de précipités semicoherents fibreux:
cristallographie de l'interface V_3Si/V_5Si_3 et champ de
déformation |
| J. Teuho, J. Mäki
and K. Hiraga | 721 | Non-periodic antiphase boundaries in Au_3Zn observed by
high resolution electron microscopy |
| K. Chattopadhyay, S. Lele,
N. Thangaraj
and S. Ranganathan | 727 | Vacancy ordered phases and one-dimensional quasi-
periodicity |
| S. Nagy, A. Vértes,
Z. Homonnay
and L. Murgás | 735 | Mössbauer investigation of iron in aluminium—I.
Al-Fe samples |
| S. Nagy, Z. Homonnay,
A. Vértes and L. Murgás | 741 | Mössbauer investigation of iron in aluminium—II.
Al-Fe-Si samples |
| S. P. Gupta | 747 | Kinetics of discontinuous coarsening of cellular precipitate
in a Ni-8.5 at.%Sn alloy |
| I. C. I. Okafor | 759 | Diffusion and electrotransport of some transition elements
in (b.c.c.) thorium |
| G. Devaud and D. Turnbull | 765 | Microstructures of undercooled germanium droplets |
| F. Faupel and Th. Hehenkamp | 771 | The effect of non-random solute distribution around
vacancies on the enhancement of solvent and solute
diffusion |
| M. Yoshihara, R. B. McLellan
and F. R. Brotzen | 775 | The high-temperature elastic properties of palladium single
crystals |
| T. Ishikawa
and R. B. McLellan | 781 | The diffusivity of hydrogen in Pd-Y-H ternary solid
solutions |
| A. T. Alpas, L. Edwards
and C. N. Reid | 787 | Shear crack propagation in a nickel base metallic glass |

NUMBER 4

- | | | |
|---|-----|--|
| A. Kagawa, T. Okamoto and
H. Matsumoto | 797 | Young's modulus and thermal expansion of pure
iron-cementite alloy castings |
|---|-----|--|

R. C. Ecob and H. E. Evans	805	Creep of TiN dispersion hardened 20%Cr-25%Ni stainless steel below the transition stress
T. Takasugi and O. Izumi	823	Geometrical models for grain boundary structures in $L2_0$ and $L1_2$ ordered alloys—on the twist boundaries
I. Rivollet, D. Chatain et N. Eustathopoulos	835	Mouillabilité de l'alumine monocristalline par l'or et l'étain entre leur point de fusion et 1673 K
N. Büttner, K.-D. Fusenig and E. Nembach	845	On the additivity of precipitation and solid solution hardening in under- and over-aged single crystals of (CuAu)-Co
O. Vorren and N. Ryum	855	Cyclic deformation of Al-single crystals at low constant plastic strain amplitudes
S. Ortner, C. Laird and G. C. Farrington	867	The electrochemical response of copper single crystals to corrosion-fatigue in an aqueous, oxide-forming environment
H. J. Maier, W. Popp and H. Kaesche	875	A method to evaluate the critical hydrogen concentration for hydrogen-induced crack propagation
P. Neuhaus and C. Herzig	881	Temperature dependence of the grain boundary diffusion of tin in nickel
C. V. Thompson, H. J. Frost and F. Spaepen	887	The relative rates of secondary and normal grain growth
H. Kojima, M. Shino and T. Suzuki	891	Effects of hydrogen and deuterium on the temperature dependence of the shear constants C' of vanadium single crystals
C. H. Cáceres and S. P. Silveti	897	Cavitation damage in the superplastic Zn-22% Al-0.5%Cu alloy
Y. Enomoto, K. Kawasaki and M. Tokuyama	907	Computer modelling of Ostwald ripening
Y. Enomoto, K. Kawasaki and M. Tokuyama	915	The time dependent behavior of the Ostwald ripening for the finite volume fraction
V. Tvergaard	923	Creep failure by degradation of the microstructure and grain boundary cavitation in a tensile test
M. Enomoto	935	Computer modeling of the growth kinetics of ledged interphase boundaries—I. Single step and infinite train of steps
M. Enomoto	947	Computer modeling of the growth kinetics of ledged interphase boundaries—II. Finite train of steps
J. Lipton, W. Kurz and R. Trivedi	957	Rapid dendrite growth in undercooled alloys
R. Trivedi, J. Lipton and W. Kurz	965	Effect of growth rate dependent partition coefficient on the dendritic growth in undercooled melts

- | | | |
|---|-----|---|
| R. Trivedi, P. Magnin
and W. Kurz | 971 | Theory of eutectic growth under rapid solidification conditions |
| K. S. Chan | 981 | Effect of cross slip on crystallographic cracking in anisotropic single crystals |
| D. M. Kroeger,
G. S. Canright,
C. G. McKamey,
D. S. Easton and
J. O. Scarbrough | 989 | Retardation of annealing embrittlement in iron-based glasses by microaddition of cerium |

NUMBER 5

- | | | |
|--|------|--|
| R. Gerling, F. P. Schimansky
and R. Wagner | 1001 | Restoration of the ductility of thermally embrittled amorphous alloys under neutron-irradiation |
| S. A. Hackney
and G. J. Shiflet | 1007 | The pearlite-austenite growth interface in an Fe-0.8 C-12 Mn alloy |
| S. A. Hackney
and G. J. Shiflet | 1019 | Pearlite growth mechanism |
| Y. Strauven
and E. Aernoudt | 1029 | Directional strain softening in ferritic steel |
| U. Dahmen, P. Ferguson
and K. H. Westmacott | 1037 | A TEM study of α'' -Fe ₁₆ N ₂ and γ' -Fe ₄ N precipitation in iron-nitrogen |
| K. C. Goretta
and J. L. Routbort | 1047 | High-temperature deformation of MnO |
| W. L. Morris, B. N. Cox
and M. R. James | 1055 | Microplastic surface deformation of Al 2219-T851 |
| J. N. Al-Hajji
and N. M. Ghoniem | 1067 | Nucleation of grain boundary cavities under the combined influence of helium and applied stress |
| A. Kimura
and H. K. Birnbaum | 1077 | The effects of cathodically charged hydrogen on the flow stress of nickel and nickel-carbon alloys |
| Atul H. Chokshi
and Terence G. Langdon | 1089 | A model for diffusional cavity growth in superplasticity |
| F. C. Lovey | 1103 | The fault density in 9R type martensites: a comparison between experimental and calculated results |
| T. P. Weihs, V. Zinoviev,
D. V. Viens
and E. M. Schulson | 1109 | The strength, hardness and ductility of Ni ₃ Al with and without boron |
| P. Magnin and W. Kurz | 1119 | An analytical model of irregular eutectic growth and its application to Fe-C |

- | | | |
|--|------|--|
| M. Szczerba and A. Korbel | 1129 | Strain softening and instability of plastic flow in Cu-Al single crystals |
| J. Kulik, S. Takeda and D. de Fontaine | 1137 | Long period superstructures in Ag ₃ Mg |
| J. D. L'Ecuyer, G. L'Espérance, M. G. Akben and B. Bacroix | 1149 | Precipitation behavior of a HSLA steel containing molybdenum, aluminum and trace amounts of titanium |
| Ph. Lequeu, P. Gilormini, F. Montheillet, B. Bacroix and J. J. Jonas | 1159 | Yield surfaces for textured polycrystals—II. Analytical approach |
| J. M. Rincon, T. R. Dinger, G. Thomas, J. S. Moya and M. I. Osendi | 1175 | Microstructure of mullite/ZrO ₂ and mullite/Al ₂ O ₃ /ZrO ₂ tough ceramic composites |
| M. J. Kaufman, J. E. Cunningham Jr and H. L. Fraser | 1181 | Metastable phase production and transformation in Al-Ge alloy films by rapid crystallization and annealing treatments |

NUMBER 6

- | | | |
|--|------|---|
| A. K. Vasudévan and R. D. Doherty | 1193 | Overview No. 58: Grain boundary ductile fracture in precipitation hardened aluminum alloys |
| K. Sumiyama, H. Ezawa and Y. Nakamura | 1221 | Thermal stability of amorphous Fe _{1-x} Ti _x alloys produced by vapor quenching |
| R. Vilar et G. Cizeron | 1229 | Evolutions structurales développées au sein de la phase σ Fe-Cr |
| W. K. Thieringer and L. Ratke | 1237 | The coarsening of liquid Al-Pb-dispersions |
| J. L. Derep | 1245 | Microstructure transformation induced by adiabatic shearing in armour steel |
| D. S. Wilkinson | 1251 | The effect of time dependent void density on grain boundary creep fracture—I. Continuous void coalescence |
| G. Gottstein and A. S. Argon | 1261 | Dislocation theory of steady state deformation and its approach in creep and dynamic tests |
| J. S. Kirkaldy, D. J. Young and J. E. Lane | 1273 | Diffusion profiles associated with the Onsager matrix in non-equilibrium A-A*-vacancy and A-B-vacancy solutions |
| G. Ferron and M. Mliha-Touati | 1281 | Phenomenological study of the plastic behaviour of aluminium at low and medium temperatures |
| B. N. Cox, W. L. Morris and M. R. James | 1289 | Two-stage microplastic surface deformation in Al 2219-T851 |

- | | | |
|---|------|---|
| H. W. Green II and
R. S. Borch | 1301 | The pressure dependence of creep |
| V. Jayaram | 1307 | Plastic incompatibility and crack nucleation during deformation on four independent slip systems in tungsten carbide-cobalt |
| P. Shewmon | 1317 | Synergism between creep ductility and grain boundary bubbles |
| R. V. Bucur and E. Indrea | 1325 | Influence of the crystalline microstructure on the diffusivity of hydrogen in palladium galvanostatic permeation and X-ray diffraction measurements |
| M. D. Thouless, A. G. Evans,
M. F. Ashby and
J. W. Hutchinson | 1333 | The edge cracking and spalling of brittle plates |
| S. C. Lim, M. F. Ashby
and J. H. Brunton | 1343 | Wear-rate transitions and their relationship to wear mechanisms |
| B. Derby and M. F. Ashby | 1349 | A microstructural model for primary creep |
| R. Fortunier and
J. H. Driver | 1355 | Grain reorientations in rolled aluminium sheet: comparison with predictions of continuous constraints model |
| E. Gautier, A. Simon
et G. Beck | 1367 | Plasticité de transformation durant la transformation perlitique d'un acier eutectoïde |
| C. W. Price | 1377 | Simulations of grain impingement and recrystallization kinetics |
| D. L. Yaney, J. C. Gibeling
and W. D. Nix | 1391 | A new strain rate change technique for distinguishing between pure metal and alloy type creep behavior |

NUMBER 7

- | | | |
|---|------|--|
| J. H. Tweed and J. F. Knott | 1401 | Overview No. 59: Micromechanisms of failure in C-Mn weld metals |
| P. K. Liaw, T. R. Leax and
J. K. Donald | 1415 | Fatigue crack growth behavior of 4340 steels |
| Shojiro Ochiai,
Kozo Osamura and
Makoto Ryoji | 1433 | Influence of two-stage annealing treatment on critical current of bronze-processed multifilamentary Nb ₃ Sn superconducting materials |
| Won-hyuk Rhee and
Duk N. Yoon | 1447 | The instability of solid-liquid interface in Mo-Ni alloy induced by diffusional coherency strain |
| J. J. Lewandowski and
A. W. Thompson | 1453 | Micromechanisms of cleavage fracture in fully pearlitic microstructures |

- | | | |
|--|------|---|
| Kishore, U. Sudarsan,
N. Chandran and
K. Chattopadhyay | 1463 | On the wear mechanism of iron and nickel based transition metal-metalloid metallic glasses |
| J. C. Earthman and
W. D. Nix | 1475 | Simulations of stable crack propagation based on cavity growth by coupled diffusional and creep processes |
| M. Rappaz and Ph. Thévoz | 1487 | Solute diffusion model for equiaxed dendritic growth |
| A. S. Argon and
A. K. Bhattacharya | 1499 | Primary creep in nickel: experiments and theory |
| J. Kameda and R. Ranjan | 1515 | Nondestructive evaluation of steels using acoustic and magnetic Barkhausen signals—I. Effect of carbide precipitation and hardness |
| J. Kameda and R. Ranjan | 1527 | Nondestructive evaluation of steels using acoustic and magnetic Barkhausen signals—II. Effect of intergranular impurity segregation |
| I. Baker, E. M. Schulson and
J. A. Horton | 1533 | <i>In-situ</i> straining of Ni ₃ Al in a transmission electron microscope |
| L. Martinez, J. Fuentes and
V. H. Tapia | 1543 | Cavity sintering in pure nickel |
| V. Jaramillo, O. T. Inal and
A. Szecket | 1549 | An impact weldability domain for the amorphous ribbon/steel system |
| A. R. Allnatt and
A. B. Lidiard | 1555 | A note on the phenomenological coefficients for atom transport in a dilute random alloy |
| M. H. Yoo | 1559 | Stability of superdislocations and shear faults in L1 ₂ ordered alloys |
| P. Gao and H. Gleiter | 1571 | High resolution electron microscope observation of small gold crystals |
| I. C. I. Okafor | 1577 | Enthalpy contribution to heat of transport |
| S. C. Colbeck | 1583 | Theory of particle coarsening with a log-normal distribution |
| J. Lauzier, J. Hillairet,
G. Fantozzi and C. Esnouf | 1589 | Anelastic phenomena at very low temperatures in relation to point defect-dislocation interactions, in electron irradiated magnesium |
| A. I. Taub and C. L. Briant | 1597 | Composition dependence of ductility in boron-doped, nickel-base L1 ₂ alloys |
| J. W. Hutchinson | 1605 | Crack tip shielding by micro-cracking in brittle solids |
| S. Denis, E. Gautier,
S. Sjöström and A. Simon | 1621 | Influence of stresses on the kinetics of pearlitic transformation during continuous cooling |

- | | | |
|--|------|--|
| C. S. Pande, L. E. Richards,
N. Louat, B. D. Dempsey
and A. J. Schwoeble | 1633 | Fractal characterization of fractured surfaces |
| C. E. Price and
R. G. Norman | 1639 | A comparison of hydrogen and mercury embrittlement in
AISI 4142 steel |
| L. Cheriet and
H. B. Huntington | 1649 | Effect of indium on lead self-diffusion |
| L. C. Lim | 1653 | Surface intergranular cracking in large strain fatigue |
| L. C. Lim | 1663 | Cavity nucleation at high temperatures involving pile-ups
of grain boundary dislocations |
| J. M. Carlson and J. E. Bird | 1675 | Development of sample-scale shear bands during necking
of ferrite-austenite sheet |
| J. B. Leblond, D. Nejem,
D. Dubois and
S. Talbot-Besnard | 1703 | Experimental and numerical study of diffusion and trap-
ping of hydrogen in plastically deformed A508.C1.3 steel at
room temperature |
| J. M. Criado and A. Ortega | 1715 | Non-isothermal crystallization kinetics of metal glasses:
simultaneous determination of both the activation energy
and the exponent n of the JMA kinetic law |
| I-Wei Chen | 1723 | A stochastic theory of grain growth |
| P. Bowen, S. G. Druce and
J. F. Knott | 1735 | Micromechanical modelling of fracture toughness |
| Y. Nakayama and K. Morii | 1747 | Microstructure and shear band formation in rolled single
crystals of Al-Mg alloy |
| H. Kimura, T. Masumoto and
D. G. Ast | 1757 | Yield stress of a composite consisting of amorphous
$\text{Ni}_{78}\text{Si}_{10}\text{B}_{12}$ and μm sized WC particles |
| R. A. Varin and J. Kruszynska | 1767 | Control of annealing twins in type 316 austenitic stainless
steel |
| B. Ladna and H. K. Birnbaum | 1775 | A study of hydrogen transport during plastic deformation |
| M. L. Öveçoğlu, D. M. Barnett
and W. D. Nix | 1779 | Analysis of the interfacial stresses produced by a pile-up of
discrete edge dislocations in two phase materials |
| A. K. Koul and
J-P. A. Immrigeon | 1791 | Modelling of plastic flow in coarse grained nickel-base
superalloy compacts under isothermal forging conditions |
| T. Ogura, T. Watanabe,
S. Karashima and
T. Masumoto | 1807 | Dependence of phosphorus segregation on grain boundary
crystallography in an Fe-Ni-Cr alloy |
| D. H. Lassila and
H. K. Birnbaum | 1815 | Intergranular fracture of nickel: the effect of hydrogen-
sulfur co-segregation |

- | | | |
|---|------|--|
| A. Calka and A. P. Radliński | 1823 | DSC study of surface induced crystallization in Pd-Si metallic glasses |
| C. Herzig and U. Köhler | 1831 | The influence of scandium on the anomalous self-diffusion in b.c.c.-zirconium |
| A. Bieber and F. Gautier | 1839 | Segregation and order in binary substitutional alloys—II. Ground state phase stability diagrams |
| M. L. G. Byrnes, M. Grujicic and W. S. Owen | 1853 | Nitrogen strengthening of a stable austenitic stainless steel |
| A. R. Forouhi and D. de Fontaine | 1863 | SAXS and TEM study of the kinetics of phase separation in AlZn |
| S. S. Ezz, D. P. Pope and V. Vitek | 1879 | Asymmetry of plastic flow in Ni ₃ Ga single crystals |
| D. Tseng, Q. Y. Long and K. Tangri | 1887 | An acoustic emission study of martensitic transformation of retained austenite in intercritically annealed HSLA steels |
| D. E. Witmer, G. C. Farrington and C. Laird | 1895 | Changes in strain localization behavior induced by fatigue in inert environments |
| D. E. Witmer, C. Laird and G. C. Farrington | 1911 | On the nucleation of persistent slip bands in fatigued copper single crystals |
| S. Horibe and C. Laird | 1919 | Behavior of persistent slip bands in fatigued crystals containing shearable precipitates. Hysteresis loop analysis and secondary cyclic stress strain curves |

NUMBER 8

- | | | |
|--|------|---|
| P. Ehrhart, A. A. Gadalla, W. Jäger and N. Tsukuda | 1929 | Overview No. 60: Microstructural evolution in high energy helium implanted nickel—I. Room temperature ($T \leq 100^\circ\text{C}$) implantation |
| P. Ehrhart, A. Gaber and W. Jäger | 1943 | Overview No. 60: Microstructural evolution in high energy helium implanted nickel—II. Thermal annealing after room temperature implantation |
| L. Vazquez, H. J. McQueen and J. J. Jonas | 1951 | Recovery and recrystallization of copper during stress relaxation after hot compression |
| C. P. Luo and G. C. Weatherly | 1963 | The invariant line and precipitation in a Ni-45 wt% Cr alloy |
| M. C. McConnell and P. G. Partridge | 1973 | The effect of microstructure and composition on the properties of vapour quenched Al-Cr alloys—I. Young's modulus |
| P. G. Partridge and M. C. McConnell | 1981 | The effect of microstructure and composition on the properties of vapour quenched Al-Cr alloys—II. Tensile properties |
| J. Singh and J. Mazumder | 1995 | Effect of extended solid solution of Hf on the microstructure of the laser clad Ni-Fe-Cr-Al-Hf alloys |

- | | | |
|--|------|--|
| R. Ramlau and H. Löffler | 2005 | Electron microscopical investigations on the precipitation of various h.c.p. phases in an Al-6.8 at.% Zn alloy |
| T. Takasugi, S. Hirakawa, O. Izumi, S. Ono and S. Watanabe | 2015 | Plastic flow of Co ₃ Ti single crystals |
| N. J. Petch | 2027 | The influence of some substitutional alloys on the cleavage of ferritic steels |
| V. Paidar | 2035 | A classification of symmetrical grain boundaries |
| R. S. Hay and B. Evans | 2049 | Chemically induced migration in low and high angle calcite grain boundaries |
| J. Laakmann, P. Jung and W. Uelhoff | 2063 | Solubility of helium in gold |
| J. Flis, S. Ashok, N. S. Stoloff and D. J. Duquette | 2071 | Hydrogen embrittlement of amorphous alloys based on iron and nickel |
| J. J. Lewandowski, C. A. Hipsley and J. F. Knott | 2081 | Effects of impurity segregation and test environment on sustained load cracking of 2 $\frac{1}{4}$ Cr-1 Mo steel—II. Crack propagation |
| Y. K. Kim, R. J. De Angelis, C. T. Tsai and O. W. Dillon | 2091 | Dislocation motion and multiplication during the growth of silicon ribbon |
| H. J. Klam, H. Hahn and H. Gleiter | 2101 | The thermal expansion of grain boundaries |
| T. Magnin and L. Coudreuse | 2105 | Corrosion fatigue mechanisms in b.c.c. stainless steels |
| P. Franciosi, M. G. Stout, J. O'Rourke, B. Erskine and U. F. Kocks | 2115 | Channel die tests on Al and Cu polycrystals: study of the prestrain history effects on further large strain texture |
| R. L. Fleischer | 2129 | Number of active slip systems in polycrystalline brass: implications for ductility in other structures |
| O. Matsumoto, S. Miyazaki, K. Otsuka and H. Tamura | 2137 | Crystallography of martensitic transformation in Ti-Ni single crystals |
| Kwang-Ryeol Lee, Young-Joon Baik and Duk N. Yoon | 2145 | A critical test for the coherency strain energy as the driving force for the discontinuous precipitation in Mo-Ni alloy |
| R. B. McLellan and C. Ko | 2151 | The C-C interaction energy in iron-carbon solid solutions |
| R. Nakkalil and S. P. Gupta | 2157 | Kinetics of cellular dissolution in an Al-Zn alloy |
| E. Kostlan and J. W. Morris Jr | 2167 | The preferred habit of a coherent thin-plate inclusion in an anisotropic elastic solid |

Acta Metallurgica Gold Medal i

- | | | |
|--|------|--|
| A. P. Sutton and
R. W. Balluffi | 2177 | Overview No. 61: On geometric criteria for low interfacial energy |
| M. Dupeux, J. Henriët and
M. Ignat | 2203 | Tensile stress relaxation behaviour of Ni-based superalloy single crystals between 973 and 1273 K. |
| N. Merk, D. G. Morris and
P. Stadelmann | 2213 | Crystallization processes in Ni-Ti-B glassy alloys of near-ternary-eutectic composition |
| R. H. Dauskardt,
R. D. Pendse and
R. O. Ritchie | 2227 | Effects of pre-existing grain boundary microvoid distributions on fracture toughness and fatigue crack growth in low alloy steel |
| S. Takeda, J. Kulik and
D. de Fontaine | 2243 | Spinodal ordering beyond the Lifshitz point in Cu ₃ Pd observed by high voltage electron microscopy |
| E. Blank and N. S. Stoloff | 2255 | The influence of test frequency on the fatigue resistance of a Ni-base eutectic composite |
| Young-Joon Baik and
Duk N. Yoon | 2265 | The effect of curvature on the grain boundary migration induced by diffusional coherency strain in Mo-Ni alloy |
| C. Köstler, F. Faupel and
T. Hehenkamp | 2273 | Precision measurements of nonlinear solvent diffusion enhancement in α -Ag-As alloys |
| J. Beuers, S. Jönsson
and G. Petzow | 2277 | TEM- <i>in situ</i> deformation of beryllium single crystals—a new explanation for the anomalous temperature dependence of the critical resolved shear stress for prismatic slip |
| G. M. Bond, I. M. Robertson
and H. K. Birnbaum | 2289 | The influence of hydrogen on deformation and fracture processes in high-strength aluminum alloys |
| G. Le Gall, D. Ansel et
J. Debuigne | 2297 | Interdiffusion in the body cubic centered β -phase of titanium-hafnium alloys |
| T. Öztürk and G. J. Davies | 2307 | Texture softening and strain instability in f.c.c. metals: plane-strain deformation |
| J. J. Hoyt, M. Sluiter, B. Clark,
M. Kraitchman and
D. de Fontaine | 2315 | Anomalous X-ray scattering study of early-stage precipitation in Al-Zn-Ag |
| D. Bouvard and E. Ouedraogo | 2323 | Modelling of hot isostatic pressing: a new formulation using random variables |
| P. Rozenak and D. Eliezer | 2329 | Phase changes related to hydrogen-induced cracking in austenitic stainless steel |
| M. Ahmed and D. I. Potter | 2341 | Elevated temperature microstructural stability of Al ⁺ -ion implanted nickel |

- B. F. Dyson and T. B. Gibbons 2355 Tertiary creep in nickel-base superalloys: analysis of experimental data and theoretical synthesis
- N. R. Bonda, D. P. Pope and C. Laird 2371 Cyclic deformation of $\text{Ni}_3(\text{Al}, \text{Nb})$ single crystals at ambient and elevated temperatures
- N. R. Bonda, D. P. Pope and C. Laird 2385 The dislocation structures of $\text{Ni}_3(\text{Al}, \text{Nb})$ single crystals fatigued at ambient and elevated temperatures
- H. M. Ledbetter, R. J. Fields and S. K. Datta 2393 Creep cavities in copper: an ultrasonic-velocity and composite-modeling study

NUMBER 10

- C. A. Hipsley 2399 Sulphur segregation and high-temperature brittle intergranular fracture in alloy steels
- D. Nguyen, A. W. Thompson and I. M. Bernstein 2417 Microstructural effects on hydrogen embrittlement in a high purity 7075 aluminum alloy
- W. A. Spitzig, A. R. Pelton and F. C. Laabs 2427 Characterization of the strength and microstructure of heavily cold worked Cu-Nb composites
- M. A. Eshelman and R. Trivedi 2443 The planar to cellular transition during the directional solidification of alloys
- A. N. Campbell, S. S. Tsao and D. Turnbull 2453 The effect of Au and Ag additions on the power-law creep behavior of Pb
- K. Aoki, T. Yamamoto, Y. Satoh, K. Fukamichi and T. Masumoto 2465 Amorphization of the CeFe_2 Laves phase compound by hydrogen absorption
- E. P. George, P. L. Li and D. P. Pope 2471 Creep cavitation in iron—I. Sulfides and carbides as nucleation sites
- E. P. George, P. L. Li and D. P. Pope 2487 Creep cavitation in iron—II. Oxides as nucleation sites
- R. J. Cox, P. J. Goodhew and J. H. Evans 2497 A study of the solidification of argon bubbles in aluminium
- H. D. Chandler and J. V. Bee 2503 Cyclic strain induced precipitation in a solution treated aluminium alloy
- M. A. Morris and D. G. Morris 2511 Microstructures and mechanical properties of rapidly solidified Cu-Cr alloys
- P. J. Lee and D. C. Larbalestier 2523 Development of nanometer scale structures in composites of Nb-Ti and their effect on the superconducting critical current density
- B. Ladna and H. K. Birnbaum 2537 SIMS study of hydrogen at the surface and grain boundaries of nickel bicrystals

- | | | |
|--|------|--|
| M. W. Finnis | 2543 | The rôle of the interface in determining the orientation of solid rare gas bubbles in metals |
| L. Pandey
and P. Ramachandrarao | 2549 | A model for lamellar eutectic solidification |
| R. Maurer | 2557 | Improved technique for the determination of low energy boundaries by the rotating-sphere-on-a-plate method: results for grain boundaries in the Cu/Ni system |
| O. B. Pedersen | 2567 | The flow stress of copper |
| A. J. Levy | 2583 | Tensile instability in creep damaging solids |
| J. S. Wang, Y.-S. Kim
and W. D. Nix | 2593 | Controlling factors for crack growth under creep conditions |

NUMBER 11

- | | | |
|---|------|---|
| D. B. Marshall and
B. N. Cox | 2607 | Tensile fracture of brittle matrix composites: influence of fiber strength |
| T. H. Alden | 2621 | Strain hardening during low temperature creep of 304 stainless steel |
| P. Nash and T. K. Glasgow | 2627 | Precipitation in a rapidly solidified and aged Ni-Al-Mo alloy |
| J. J. Urcola and C. M. Sellars | 2637 | Effect of changing strain rate on stress-strain behaviour during high temperature deformation |
| J. J. Urcola and C. M. Sellars | 2649 | Influence of changing strain rate on microstructure during hot deformation |
| J. J. Urcola and C. M. Sellars | 2659 | A model for a mechanical equation of state under continuously changing conditions of hot deformation |
| C. S. Pande | 2671 | On a stochastic theory of grain growth |
| Th. Wille, W. Gieseke and
Ch. Schwink | 2679 | Quantitative analysis of solution hardening in selected copper alloys |
| Sung Man Lee and
Jai Young Lee | 2695 | The effect of the interface character of TiC particles on hydrogen trapping in steel |
| M. Rühle, A. G. Evans,
R. M. McMeeking,
P. G. Charalambides and
J. W. Hutchinson | 2701 | Microcrack toughening in alumina/zirconia |
| C. Verdi and A. Visintin | 2711 | A mathematical model of the austenite-pearlite transformation in plain carbon steel based on the Scheil's additivity rule |

P. Deymier, A. Taiwo and G. Kalonji	2719	A grain boundary phase transition studied by molecular dynamics
H. Nakajima, M. Yoshioka and M. Koiwa	2731	Electromigration of hydrogen in vanadium and its alloys
R. W. Cahn, P. A. Siemers, J. E. Geiger and P. Bardhan	2737	The order-disorder transformation in Ni ₃ Al and Ni ₃ Al-Fe alloys—I. Determination of the transition temperatures and their relation to ductility
R. W. Cahn, P. A. Siemers and E. L. Hall	2753	The order-disorder transformation in Ni ₃ Al and Ni ₃ Al-Fe alloys—II. Phase transformations and microstructures
M. Militzer and J. Wieting	2765	Interfacial two-dimensional phase transitions and impurity segregation
E. Patoor, A. Eberhardt et M. Berveiller	2779	Potentiel pseudoélastique et plasticité de transformation martensitique dans les mono- et polycristaux métalliques
D. S. Wilkinson	2791	The effect of time-dependent void density on grain boundary creep fracture—II. Continuous nucleation
C. H. Wörner and A. Cabo	2801	On the grain growth inhibition by second phases particles
<i>Announcement</i>	i	

NUMBER 12

P. R. Rios	2805	Overview No. 62: A theory for grain boundary pinning by particles
F. J. Humphreys and P. N. Kalu	2815	Dislocation-particle interactions during high temperature deformation of two-phase aluminium alloys
W-B. Li, M. F. Ashby and K. E. Easterling	2831	On densification and shape-change during hot isostatic pressing
E. Huizer and A. van den Beukel	2843	Reversible and irreversible length changes in amorphous Fe ₄₀ Ni ₄₀ B ₂₀ during structural relaxation
C. H. Cáceres and A. H. Rodriguez	2851	Acoustic emission and deformation bands in Al-2.5% Mg and Cu-30% Zn
G. Regazzoni, U. F. Kocks and P. S. Follansbee	2865	Dislocation kinetics at high strain rates
H. Vehoff, C. Laird and D. J. Duquette	2877	The effects of hydrogen and segregation on fatigue crack nucleation at defined grain boundaries in nickel bicrystals
M. Isida and S. Nemat-Nasser	2887	On mechanics of crack growth and its effects on the overall response of brittle porous solids
R. Kirchheim and J. P. Hirth	2899	Stress and solubility for solutes with asymmetrical distortion fields

- | | | |
|---|------|--|
| R. G. Faulkner | 2905 | Combined grain boundary equilibrium and non-equilibrium segregation in ferritic/martensitic steels |
| F. Livet | 2915 | Linearized inverse Monte Carlo method applied to Ni ₃ Fe |
| N. P. Louat and B. B. Rath | 2921 | Plastic flow and the Griffith fracture criterion |
| M. Rappaz and Ph. Thévoz | 2929 | Solute diffusion model for equiaxed dendritic growth: analytical solution |
| B. L. Adams, P. R. Morris,
T. T. Wang, K. S. Willden
and S. I. Wright | 2935 | Description of orientation coherence in polycrystalline materials |
| M. L. Öveçoğlu,
M. F. Doerner and
W. D. Nix | 2947 | Elastic interactions of screw dislocations in thin films on substrates |
| K. S. Vecchio and
D. B. Williams | 2959 | Convergent beam electron diffraction study of Al ₃ Zr in Al-Zr and Al-Li-Zr alloys |
| J. E. Bird, K. E. Newman,
K. Narasimhan and
J. M. Carlson | 2971 | Heterogeneous initiation and growth of sample-scale shear bands during necking of Al-Mg sheet |
| A. Molinari, G. R. Canova
and S. Ahzi | 2983 | A self consistent approach of the large deformation polycrystal viscoplasticity |
| R. D. K. Misra,
T. V. Balasubramanian and
P. Rama Rao | 2995 | On interactions amongst trace and alloying elements at the grain boundaries of a low alloy steel |

